


TYPE NES-21

Equivalent to Burgmann HJ92



- 1 O-Ring
- 2 Stationary Face
- 3 Rotary Face
- 4 Retainer
- 5 Wave Spring
- 6 Pin
- 7 Drive Collar
- 8 Drive Screw
- 9 O-Ring
- 10 O-Ring

Features:

The MH21 series are designed for media containing solids or with high viscosity e.g. sugar, paper, sewage and waste water industry.

Operating Conditions:

Pressure: Up to 25kg/cm² (355 PSI)
 Temperature: -20°C ~200°C
 Speed: Up to 20m/s

Materials:

Rotary Face: Carbon, SiC, SSiC, TC.
 Stationary Face: SiC, SSiC, TC.
 Elastomer: NBR, EPDM, Viton®.
 Spring: 304SS, 316SS, Has C
 All Metal Parts: 304SS, 316SS.

All trademarks are the property of their respective owners.

Seat Compatibility:

Standard: C
 Alternative: A, A8.

D1	D3	Dm	L3	L13	F	Mx
18	32	29	30.5	28.5	3.0	M4
20	34	33	30.5	28.5	3.0	M4
22	36	35	30.5	28.5	3.0	M4
24	38	37	33.0	31.0	3.5	M5
25	39	38	33.0	31.0	3.5	M5
28	42	39	35.5	33.0	3.5	M5
30	44	41	35.5	33.0	3.5	M5
32	47	45	35.5	33.0	3.5	M5
33	47	46	35.5	33.0	3.5	M5
35	49	48	35.5	33.0	3.5	M5
38	54	53	37.0	34.5	4.0	M5
40	56	55	37.0	34.5	4.0	M5
43	59	58	37.0	34.5	4.0	M5
45	61	60	37.0	34.5	4.0	M5
48	64	63	37.0	34.5	4.0	M5
50	66	65	38.0	35.5	4.5	M6
53	69	68	38.0	35.5	4.5	M6
55	71	70	38.0	35.5	4.5	M6
58	78	77	42.0	39.5	4.5	M6
60	80	73	42.0	39.5	4.5	M6
63	83	76	42.0	39.5	4.5	M6
65	85	84	42.0	39.5	4.5	M6
68	88	87	41.5	39.0	4.5	M6
70	90	89	48.5	46.0	5.0	M6
75	99	97	48.5	46.0	5.5	M8
80	104	95	48.5	46.0	5.5	M8
85	109	100	48.5	46.0	5.5	M8
90	114	105	52.0	49.5	5.5	M8
95	119	110	52.0	49.5	5.5	M8
100	124	115	52.0	49.5	5.5	M8